

TO: Eric Sandin, GEF II, Geo/8

Groundwater Use Registry Buckslip

Site Name WI NAT'L GUARD ARMORY

Address 735 MAIN STREET
HAYWARD, WI

BRRTS # 02-58-204070

GPS Location: _____ latitude _____ longitude


Date of Closure Decision 5/24/00

Required

- Closure Letter
- Deeds for all properties with ES exceedance in Groundwater (*RECEIVED GWUR*)
- GPS location (latitude and longitude)
- Location map
- Detailed Site Map
- Groundwater Flow Direction Diagram including location of monitoring wells and all drinking water wells
- Latest Groundwater Plume Map with Groundwater Flow Direction
- Latest Table of Analytical Results for Groundwater

If Available, include the following:

- Metes and Bounds Legal Description
- Tax Parcel Number *ON DEEDS #236-941-21-4105*
- Geologic cross sections showing soil and groundwater contaminant source extent and location, isoconcentrations for all groundwater contaminants that exceed NR 140 enforcement standards, water table and piezometric elevations, and the extent, location and elevation of geologic units, bedrock, and confining unites



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William H. Smith, Regional Director

Northern Region Headquarters
107 Sutliff Ave.
Rhineland, Wisconsin 54501-0818
Telephone 715-365-8900
FAX 715-365-8932
TDD 715-365-8957

April 13, 1999

Mr. Peter Schuster
Wisconsin Department of Military Affairs
PO Box 14587
Madison, WI 53708-8111

Subject: Hayward National Guard Armory, 735 Main St, Hayward, WI BRRTS # 02-58-204070

Dear Mr. Schuster:

The Department of Natural Resources provided a notice to you that the degree and extent of perchloroethene (PCE) contamination at the above-named site was required to be investigated and remediated. We have since been informed that the required investigation and remediation has been accomplished.

On March 9, 1999, the above-named site was reviewed by the Northern Region Closeout Committee for a determination as to whether or not the case qualified for close out under ch. NR 726, Wis. Adm. Code.

Based on the investigative and remedial documentation provided to the Department, it appears that the PCE contamination at the above-named site has been remediated in compliance with the requirements of chs. NR 700 to 724, Wis. Adm. Code. Therefore, the Department considers the case "closed," having determined that no further action is necessary at the site at this time. However, due to the presence of residual contamination remaining in the groundwater, a condition of the closeout of the case is that the owner sign and record a Groundwater Use Restriction for the property.

Enclosed is an example of a Groundwater Use Restriction. Please draft a specific Groundwater Use Restriction for this site and submit the draft to me. Department of Natural Resources attorneys will review the draft and return it to you with revisions. After you have made the revisions, you should sign and record the restriction with the Sawyer County Register of Deeds. To document that this condition has been complied with, the property owner must submit to the Department a copy of the recorded Groundwater Use Restriction, with the recording information stamped on it, within 15 days after the Register of Deeds returns the Groundwater Use Restriction to the property owner. The Groundwater Use Restriction may be amended in the future with the approval of DNR if conditions change at the site and the residual contamination is remediated.



Please note that this case closure is contingent upon proper documentation of proper abandonment of the monitoring wells on site. If monitoring wells remain at this site, please provide the documentation that this action has been completed, or have your consultant do so. The documentation can be sent to my attention at the above address.

If you have any additional information which was not formerly provided to the Department, and which you feel would significantly impact this closure decision, you may submit that information for our re-evaluation of case closure.

If you have any questions, please call me at 715-365-8990.

Sincerely,
NORTHERN REGION



Janet Kazda
Case Closeout Committee

➤ cc: File
Steve Karklins, DG/2
Sally Kefer, RR/3
Chuck Fitzgerald, Rhinelander

Brian Kent
Short Elliott Hendrickson, Inc
421 Frenette Dr
Chippewa Falls, WI 54729

283965

Document Number

DEED RESTRICTION

Declaration of Restrictions

In Re: That part of the NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21, Township Forty One (41) North, Range Nine (9) West, City of Hayward, Sawyer County, Wisconsin, more particularly described as follows:

To locate the point of beginning, commence at the E $\frac{1}{4}$ corner of Section 21; Thence along the E-W $\frac{1}{4}$ line, S $89^{\circ}18'57''$ W 1330.90 feet to the CE $\frac{1}{16}$ corner; Thence, leaving said $\frac{1}{4}$ line, S $00^{\circ}47'08''$ W, 20.46 feet; Thence S $89^{\circ}22'32''$ E, 99.97 feet along the southerly right of way line of Wittwer Street; Thence S $89^{\circ}21'19''$ E, 20.03 feet to the point of beginning.

Thence from said point of beginning by meets and bounds.

Continue S $89^{\circ}21'19''$ E, 14.95 feet; Thence N $89^{\circ}08'09''$ E, 422.12 feet to the southwesterly right of way line of Iowa Street; Thence along said right of way line S $40^{\circ}59'00''$ E, 272.15 feet; Thence, leaving said right of way line, S $56^{\circ}01'03''$ W, 176.64 feet; Thence S $44^{\circ}34'07''$ W, 148.25 feet; Thence N $89^{\circ}26'32''$ W 366.29 feet; Thence N $00^{\circ}10'55''$ E, 400.03 feet to the point of beginning.

Entire parcel contains 203,868 SF, which is 4.68 Acres.

STATE OF WISCONSIN)
)
COUNTY OF Dane)

Register's Office } SS
Sawyer County
Received for record this 15 day of
MAY A.D. 2000 at 8 o'clock
A.M. and recorded as vol. 705
of Records on page 36 - 39
Sophia Adamian
Register

Deputy
#1610

Recording Area

Name and Return Address
 STATE OF WISCONSIN
 DEPT. OF MILITARY AFFAIRS
 PO BOX 14587
 MADISON, WI 53714-0857

236-911-21-4105

Parcel Identification Number (PIN)

WHEREAS, The State of Wisconsin Department of Military Affairs is the owner of the above-described property.

WHEREAS, one or more chlorinated hydrocarbon discharges have occurred at this property. Tetrachloroethylene contaminated groundwater above NR 140 enforcement standards exists on this property at the following location: Tetrachloroethylene contamination at a measured concentration of 12 parts per billion was detected in the groundwater in an area within a thirty (30') to fifty (50') foot radius surrounding monitoring well #1 (MW#1) as shown on the attached site map (Figure 2). MW #1 is located approximately sixty (60') feet southeast of the old organizational maintenance shop which is labeled as the main building on Figure 2.

WHEREAS, it is the desire and intention of the property owner to impose on the property restrictions which will make it unnecessary to conduct further soil remediation activities on the property at the present time.

WHEREAS, natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this property.

WHEREAS, construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 is restricted by ch. NR 811 and ch. NR 812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply.

NOW THEREFORE, the owner hereby declares that all of the property described above is held and shall be held, conveyed or encumbered, leased, rented, used, occupied and improved subject to the following limitation and restrictions:

Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater, or its successor agency, to determine what specific requirements are applicable, prior to constructing or reconstructing a well on this property. No well may be constructed or reconstructed on this property unless applicable requirements are met.


If construction is proposed on this property that will require dewatering or if contaminated groundwater is otherwise extracted from this property in the future, the groundwater must be sampled and analyzed and must be managed in compliance with applicable laws and regulations. The property owner will need to apply for a WPDES permit if extracted groundwater from this property is proposed to be discharged.

This restriction is hereby declared to be a covenant running with the land and shall be fully binding upon all persons acquiring the above-described property whether by descent, devise, purchase or otherwise. This restriction inures to the benefit of and is enforceable by the Wisconsin Department of Natural Resources, its successors or assigns. The Department, its successors or assigns, may initiate proceedings at law or in equity against any person or persons who violate or are proposing to violate this covenant, to prevent the proposed violation or to recover damages for such violation.


Any person who is or becomes owner of the property described above may request that the Wisconsin Department of Natural Resources or its successor issue a determination that one or more of the restrictions set forth in this covenant is no longer required. Upon the receipt of such a request, the Wisconsin Department of Natural Resources shall determine whether or not the restrictions contained herein can be extinguished. If the Department determines that the restrictions can be extinguished, an affidavit, with a copy of the Department's written determination, may be recorded to give notice that this deed restriction, or portions of this deed restriction, are no longer binding.

By signing this document, Major General James G. Blaney asserts that he is duly authorized to sign this document on behalf of The Wisconsin Department of Military Affairs.

IN WITNESS WHEREOF, the owner of the property hereby executes this Declaration of Restrictions.


Signature: 
 Printed Name: MG James G. Blaney
 Title: The Adjutant General of Wisconsin

Subscribed and sworn to before me
 this 22 day of May, 2016


 Notary Public, State of WI
 My commission is permanent


This document was drafted by the Wisconsin Department of Natural Resources.

Figure 1



SITE PLAN - HAYWARD

1"=100'



SET BLDG CORNER OFF
POWER POLE (5' SOUTH &
10' EAST, AS INDICATED)


HO

DATE: 7-28-87

REVISED: 10-21-87

VOL 705 PG 38

~~VOL 594 PG 137~~

Figure 2**LEGEND**

- (999) — concentration of DRO in ppm (ND = not detected)
- soil sample location
- 03221530 — identification number
- fence
- - - water line
- - - overhead electric power line
- - - sanitary sewer line
- - - natural gas line
- - - fuel line
- building
- [] removed underground tank
- [] excavation (1993) 0'
- ⊗ remote tank fill



10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'

10'


10'

REPRODUCED FROM
USGS HAYWARD QUADRANGLE
 WISCONSIN - SAWYER CO. 7.5 MINUTE SERIES
 1971 - PHOTOREVISED 1979



N

SCALE IN FEET
 0 500 1000 2000



1	10/15/98	CASE CLOSURE	JLE	10/98	BLK	10/98	JFC	12/98
NO.	DATE	ISSUE/REVISIONS	DRAWN BY	DESIGN	FIELD REVIEW	QC CHECK	PROJ. NO.	WDOA9418
NATIONAL GUARD ARMORY CASE CLOSURE			FIGURE 1 SITE LOCATION					




FIGURE 2	PROJ. NO.	2
	DATE	8 10/15/98

WATKINS STREET




Table 2
Summary of Groundwater Chemistry Data

Parameters	NR 140 Standards												Well No./Sampling Date														
	ES		PAL		HP-1	HP-2	HP-3	HP-4	HP-5	HP-6	HP-7	HP-8	HP-9	HP-10	HP-11	HP-12	HP-13	HP-14	1994	1995	1996	1997	1998	1995	1996	MW-3	MW-4
Field Data																											
Dissolved Oxygen (mg/l)	NSE	NSE	NSE	NSE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Temperature (°C)	NSE	NSE	NSE	NSE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
ORP (mV)	NSE	NSE	NSE	NSE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Conductivity (μS)	NSE	NSE	NSE	NSE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
pH	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
F ²⁺ (mg/l)	0.3	0.15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
SO ₄ ²⁻ (mg/l)	250	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
NO _x (as N) (ng/l)	10	2.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Analytical Data																											
TOC (mg/l)	NSE	NSE	NSE	NSE	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
BTX (μg/l)	Benzene	5.0	0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Toluene	343	68.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Ethylbenzene	700	140	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Xylenes	620	124	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
VOCs ^a (μg/l)	cis 1,2-Dichroethene	3.0	0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Methylene Chloride	70	7.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Tetrachloroethane	5.0	0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
1,1,1-Trichloroethane	200	40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Trichloroethene	5.0	0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15
Vinyl Chloride	0.2	0.02	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15	11/15

Notes:

Samples collected by SEH and analyzed by On-site Environmental Services (October 1995) and En Chem (January and February 1996, April and July 1997, and January 1998).

HP-1 through HP-14 are hydraulic probe samples completed and analyzed onsite by Matrix Technologies, Inc.

NSE = No standard established

> = Not detected for

ORP = Oxidation/reduction potential

BDL = Below laboratory detection limits

Trace = Trace amount detected below method detection limit

* = VOC list is not complete. VOCs not listed have not been detected

o = Parameter has been detected below the limit of quantitation (LOQ); results are qualified due to the uncertainty of the parameter concentration

■ = indicates duplicate sample labeled on laboratory report as sample MW-6

Geochemical indicators (i.e. Fe²⁺, SO₄²⁻, NO_x, and dissolved O₂) were measured using HACH's DR 700 colorimeter with appropriate reagents

= Exceeds ch. NR 140 Enforcement Standard (ES)

0.0 = Exceeds ch. NR 140 Preventive Action Limit (PAL)

Compiled by: BLK Checked by: TJB

Table 2 (Continued)
Summary of Groundwater Chemistry Data

Parameters	NR 140 Standards		Well No./Sampling Date																		
	ES	PAL	10/26/95	4/25/97	7/23/97	10/10/97	12/7/97	10/26/95	4/29/97	7/23/97	10/10/97	12/7/97	1/16/98	1/16/98	2/12/98	2/12/98	PW-4	PZ-5	PW-1		
Field Data																					
Dissolved Oxygen (mg/l)	NSE	NSE	-	8.6	9.4	7.72	5.92	-	4.6	5.6	0.56	8.43	-	8.6	1.6	1.40	4.44	-	10.3	9.08	
Temperature (°C)	NSE	NSE	-	8.8	9.8	12.4	9.0	-	9.5	10.5	9.6	7.0	-	10.0	9.8	10.1	-	-	10.1	12.0	
ORP (mV)	NSE	NSE	-	7.8	23.4	2.0	164	-	235	-5.0	145	-	-	190	-4.0	123	-	-	-	9.0	
Conductivity (µS)	NSE	NSE	-	36.5	100	164	-	11.4	46.4	130	100	-	9.6	46.7	130	120	-	-	28.2	22.8	
pH	NSE	NSE	-	5.81	6.4	6.8	6.7	-	6.1	6.9	6.8	7.0	-	6.17	7.1	6.8	-	-	5.84	7.3	
Fe ²⁺ (mg/l)	0.3	0.15	-	0.0	0.37	0.0	0.02	-	>5.0	0.8	0.0	0.06	-	>5.0	0.0	0.54	0.07	-	0.0	6.9	
SO ₄ ²⁻ (mg/l)	250	125	-	13.27	28.61	20.19	20.67	-	5.89	11.84	10.10	4.24	-	4.53	7.25	11.33	5.28	-	0.0	0.0	
NO _x (as N) (mg/l)	10	2	-	3.3	0.0	4.2	0.0	-	0.0	0.60	0.8	1.3	-	2.2	3.0	1.2	2.0	-	0.39	0.91	
Analytical Data																			2.8	2.2	
TOC (mg/l)	NSE	NSE	-	9.4	7.3	1.6	4.3	-	7.8	11.0	7.4	7.7	-	7.8	8.9	9.1	15	-	-	1.8	
BTEX (µg/l)	5	0.5	BDL	<0.40	<0.40	<0.40	BDL	<0.40	<0.40	<0.40	Trace	<0.40	<0.40	<0.40	<0.40	<0.40	BDL	BDL	BDL	<0.40	
Benzene	34.3	68.6	BDL	<0.28	<0.28	<0.28	BDL	<0.28	<0.28	<0.28	BDL	<0.28	<0.28	<0.28	<0.28	<0.28	BDL	BDL	BDL	<0.40	
Toluene	700	140	BDL	<0.23	<0.23	<0.23	BDL	<0.23	<0.23	<0.23	BDL	<0.23	<0.23	<0.23	<0.23	<0.23	BDL	BDL	BDL	<0.28	
Ethylbenzene																				<0.23	
Xylenes	620	124	BDL	<0.39	<0.39	<0.39	BDL	<0.39	<0.39	<0.39	BDL	<0.39	<0.39	<0.39	<0.39	<0.39	BDL	BDL	BDL	<0.23	
VOCs ^a (µg/l)	Chloromethane	3	0.3	BDL	<0.20	<0.20	<0.20	BDL	<0.20	<0.20	<0.20	BDL	<0.20	<0.20	<0.20	<0.20	<0.20	BDL	BDL	BDL	<0.40
cis 1,2-Dichloroethene	70	7	Trace	<0.30	<0.30	<0.30	BDL	<0.30	<0.30	<0.30	BDL	<0.30	<0.30	<0.30	<0.30	<0.30	BDL	BDL	BDL	<0.40	
Methylene Chloride	5	0.5	Trace	<0.20	<0.20	<0.20	0.24*	BDL	<0.20	<0.20	<0.20	Trace	<0.20	<0.20	<0.20	<0.20	<0.20	BDL	BDL	BDL	<0.40
Tetrachloroethene	5	0.5	18.0	0.2*	2.8	0.22	BDL	BDL	<0.30	<0.30	<0.30	BDL	<0.30	<0.30	<0.30	<0.30	<0.30	BDL	BDL	BDL	<0.40
1,1,1-Trichloroethane	200	40	BDL	<0.30	<0.30	<0.30	BDL	<0.30	<0.30	<0.30	BDL	<0.30	<0.30	<0.30	<0.30	<0.30	BDL	BDL	BDL	<0.40	
Trichloroethene	5	0.5	BDL	<0.20	<0.20	<0.20	BDL	<0.20	<0.20	<0.20	BDL	<0.20	<0.20	<0.20	<0.20	<0.20	BDL	BDL	BDL	<0.40	
Vinyl Chloride	0.2	0.02	2.0	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	BDL	BDL	<0.20	

Notes:

Samples collected by SEH and analyzed by On-site Environmental Services (October 1995) and En Chem (January and February 1996, April and July 1997, and January 1998)

NSE = No standard established

* >0 indicates parameter was measured at a concentration greater than the instrument's ability to quantify without a serial dilution

OPR = Oxidation/reduction potential

Trace = Below laboratory detection limits

* = VOC list is not complete. VOCs not listed have not been detected

• = Parameter has been detected below the limit of quantitation (LOQ). Results are qualified due to the uncertainty of the parameter concentration

* = Duplicate sample labeled on laboratory report as sample MW-6

Geochemical Indicators (i.e. Fe²⁺, SO₄²⁻, NO₃⁻; and dissolved O₂) were measured using HACH's DR 700 colorimeter with appropriate reagents

□ = Exceeds ch. NR 140 Enforcement Action Limit (EAL)



○ = Exceeds ch. NR 140 Preventive Action Limit (PAL)

Compiled by: BLK Checked by: TJB

A
NORTH

A'
SOUTH

SECTION A-A'
VIEWING NORTHWEST



LEGEND

	SILTY SAND
	SAND
	FILL
	WATER TABLE ELEVATION AS OF 01/28/98
	VERTICAL SCALE (FEET)
	HORIZONTAL SCALE (FEET)

NOTES:

- ELEVATIONS ARE SHOWN IN REFERENCE TO SITE DATUM.
- FOR THE PURPOSE OF ILLUSTRATING SUBSURFACE CONDITIONS, SOME OF THE BORING LOGS HAVE BEEN SIMPLIFIED. FOR A DETAILED DESCRIPTION OF SUBSURFACE CONDITIONS AT INDIVIDUAL BORINGS, REFER TO SOIL BORING LOGS.
- HORIZONTAL DISTANCES ARE MEASURED WITH RESPECT TO THE CENTER OF EACH SOIL BORING LOCATION.
- GROUNDWATER ELEVATIONS ARE BASED ON MEASUREMENTS OBTAINED BY SEH ON 01/28/98.
- SOIL AT RW-1 WAS NOT SAMPLED DURING WELL INSTALLATION.



FIGURE 4
GEOLOGIC CROSS SECTION

NATIONAL GUARD ARMORY
CASE CLOSURE

PROJ. NO. 4
8
10/15/98